Product Name: SMART SEAL PATIO PERFECT, PRAIRIE SAND Product Code: 150

Date issued: 2/28/2018

SECTION 1: IDENTIFICATION

Product Name SMART SEAL PATIO PERFECT, PRAIRIE SAND

Product Code # 150

Identified Uses Protective Coating

Manufacturer: Kelley Technical Coatings 1445 South 15th Street P.O. Box 3726 Louisville, Kentucky 40201-3726 Emergency Contact Number: Day: 502-636-2561 Night: 800-424-9300 Information Telephone Number: 502-636-2561

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral 4 & 5 Skin Irritant 2 Eye Damage/Irritation 2b

GHS Label Elements

Hazard Symbols



Signal Word Warning

Hazard Statements

H302 Harmful if swallowed H315 Causes skin irritation H320 Causes eye irritation

Precautionary statements Prevention

P202 Do not handle until all safety precautions have been read and understood. P264 Wash hands and/or face thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

Response

P330 If swallowed, rinse mouth.
P363 Wash contaminated clothing and wash before reuse.
P301 + P310 If swallowed: Immediately call a poison center or doctor.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage/ Disposal

P501 Dispose of contents/container in accordance with federal, state, provincial, and local regulations.

Other Hazards OSHA Regulatory Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR1910.1200)

Contains: Crystalline Silica which has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

% by Weight 40 - 50% 5 - 10% 1 - 5%

SECTION 3: COMPOSITION INFORMATION

Chemical Designation	CAS No.	
ground limestone	1317-65-3	
titanium dioxide	13463-67-7	
ethylene glycol	107-21-1	

Product Name: SMART SEAL PATIO PERFECT, PRAIRIE SAND Product Code: 150

Date issued: 2/28/2018

butoxy dipropanol	29911-28-2	1 - 5%
crystalline silica, (quartz)	14808-60-7	0.1 - 1%

SECTION 4: FIRST AID MEASURES

General Advice	Show this safety data sheet to the doctor in attendance
Eyes:	Flush with plenty of cool water for at least15 minutes, holding eyelids apart for thorough irrigation. If irritation persists, get immediate
	medical attention.
Skin:	Wash affected area thoroughly with soap and water. If skin irritation persists, get immediate medical attention.
Inhalation:	Move to fresh air. Restore breathing. If breathing is difficult, get immediate medical attention.
Ingestion:	Do not induce vomiting – seek immediate medical attention.
Notes to Physician	Treat symptomatically
-	

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific Hazards arising	Closed containers may rupture if exposed to fire or extreme heat.
from the Chemical	
Special protective	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective
Equipment:	gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment. Remove all sources of ignition.
Environmental	Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from
Precautions	entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages
	cannot be contained.
Methods for Clean-up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface
	thoroughly.
Other Information	None known

SECTION 7 : HANDLING & STORAGE

Handling:	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Avoid breathing
	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Storage:	Keep container tightly closed. Keep out of the reach of children.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

HMIS is a Health, Flammability and Reactivity rating: 2*11

HMIS CODE: 4 - SEVERE HAZARD, 3 - SERIOUS HAZARD, 2 - MODERATE HAZARD, 1 - SLIGHT HAZARD, 0 - MINIMAL HAZARD, * - Chronic Hazard

Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual conditions of use.

Exposure Limits		
Hazardous Components	OSHA PEL	ACGIH TLV
ground limestone	15 mg/m3 (R)	NE
titanium dioxide	15 mg/m3	10 mg/m3
ethylene glycol	50 ppm (C)	50 ppm (C)(STEL)
butoxy dipropanol	NE	NE
crystalline silica, (quartz)	10 mg/m3/%Sio2 +2 (R)	0.025 mg/m3 (R)

NE = None established NA = Not available (C) = Ceiling limit (I) = Inhalable fraction (IFV) = Inhalable fraction and vapor STEL = Short term exposure limit $(\mathbf{R}) = \mathbf{Respirable fraction}$

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipmen	t
Eyes/Face:	Safety goggles or full face shield
Skin:	Protective gloves and impervious clothing.
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Practices:	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Product Name:SMART SEAL PATIO PERFECT, PRAIRIE SANDProduct Code:150

Appearance:	liquid
Odor:	Little or i
VOC lb/gal	0.54
VOC (lb/gal) less exempt	1.03
Relative Density (LB/GAL):	13.24
Flash Point (F):	Greater t
Flammability:	Not appli
Auto-ignition temperature:	Not appli
Evaporation rate :	Not avail
Vapor Pressure (mmHg) :	Not avail
Initial Boiling Point (F):	212
Freezing Point (F):	32
pH	Not avail
Solubility (ies):	Not deter
Partition coefficient: n-	Not deter
octanol/water	

ittle or no odor .54 .03 3.24 Greater than 201 Vot applicable Vot applicable Vot available Vot available 12 2 Vot available Vot determined Vot determined

Odor threshold: VOC (g/L) VOC (g/L) less exempt Specific Gravity (g/L):

Upper/lower flammability limits: Decomposition temperature:

Vapor Density : Boiling Point Range (F): Melting Point (F): Viscosity Date issued: 2/28/2018

Not determined 64.83 123.24 1.59

Not applicable Not determined

Not available Not available Not determined Not available

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:Stable under normal conditions.Conditions to Avoid:Prevent from freezingMaterials to Avoid:No materials to be especially mentioned.Hazardous Decomposition Products:None under normal use.Possibility of Hazardous Reactions:None under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Component	LD50 Oral mg/kg (Rat)	LD50 Dermal mg/kg (Rabbit)	LC50 Inhalation mg/L (Rat, 4 hr.)
ground limestone	NA	NA	NA
titanium dioxide	10,000	10,000	6.82
ethylene glycol	NA	NA	NA
butoxy dipropanol	NA	NA	NA
crystalline silica, (quartz)	500	NA	NA

Chronic Toxicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:				
Component	IARC	NTP	OSHA	
titanium dioxide	2B – Possible Human Carcinogen	Not listed	Listed	
crystalline silica, (quartz)	1 – Human carcinogen	Known Human Carcinogen	Listed	

Per IARC Summary of Data Reported, Subsection 5.1: No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

SECTION 12 : ECOLOGICAL INFORMATION

No ecological information available

SECTION 13 : DISPOSAL CONSIDERATION

Waste Disposal Method

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

SECTION 14 : TRANSPORT INFORMATION

Contact the manufacturer for shipping information.

SECTION 15 : REGULATORY INFORMATION

US TSCA:

_ _

_ _ _ _ _

_ _

Product Name:SMART SEAL PATIO PERFECT, PRAIRIE SANDProduct Code:150

_ __ __ _

Date issued: 2/28/2018

<u>Federal Regula</u> SARA 311/31	<u>itions</u> 2 hazardous categorization			
	Acute Health Hazard	YES		
	Chronic Health Hazard	YES		
	Fire Hazard	NO		
	Sudden Release of Pressure	NO		
	Hazard			
	Reactive Hazard	NO		
	1		rization Act of 1986 (SARA). If listed below, this product contains a cast and Title 40 of the Code of Federal Regulations, Part 372.	chemical
Che	emical Designation	Cas No.	Weight %	
ethy	lene glycol	107-21-1	< 5%	
Clean Air Ac	t, Section 112 Hazardous Air P	ollutants (HAPS)		
Che	mical Designation	Cas No.	Weight %	
ethy	lene glycol	107-21-1	2.04	

Any Target HAP listed in this section is not an OSHA Carcinogen unless listed as such in Section 11 under Chronic Toxicity.

State Regulations

California Proposition 65

This product may contain small amounts of materials known to the state of California to cause cancer or reproductive harm.

SECTION 16 : OTHER INFORMATION

Date issued: 2/28/2018 VER 02

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy himself that the product is entirely suitable for his purposes.